

GOVERNMENT POLYTECHNIC COLLEGE NEDUMKANDAM, IDUKKI, KERALA

LIST OF TIME TO BE SUPPLIED

Tender Notice No: 1/2023-24

Purchase of SSD HARD DISK 240 GB or HIGHER, MULTIMEDIA PROJECTOR , HANDHELD WIRELESS LASER PRESENTER , MANUAL PROJECTOR SCREEN, for the use of Computer Engineering department of this institution. Detailed schedule is as follows.

Sl No	Details of item with specification	Unit	Quantity of Items now required
1	SSD hard disk 240gb or higher	Nos	1
	Multimedia Projector PROJECTIO SYSTEM :DLP RESOLUTION :WXGA IMAGE BRIGHTNESS(ANSI LUMENS),3800,CONNECTOR TYPE:VGA,USB,HDMI,ASPECT RATIO 16:9,SCREE RESOLUTION 1280*800,RESOLUTION 1280*800 PIXELS,NOISE LEVEL 34DB,VOLTAGE 230VOLT,WATTAGE 260 WATTS,REFRESH RATE 60 HZ	Nos	3
	Handheld wireless laser presenter (USB Wireless Remote Control Professional Laser Pointer Presenter Slide Changer Controller Powerpoint PPT Pen Presentation Clicker Projector.) Ribbon Cartridge Model number USB Wireless Remote Width of Ribbon i Ribbon Cartridges (mm) 1.2 Length of Ribbon in Ribbon Cartridges (meter) 3.2 Colour of the Ribbon in Ribbon Cartridge Powerpoint PPT Pen Printer Model no /nos for which Ribbon Cartridge is suitable Clicker Projector Character Yield of the Ribbon Cartridge for upto 85% of the total Optical Density (at 10cp) (Million Character) 2.2	Nos	1
	Manual Projector Screen 120" Diagonal In Type Spring action pull down Supported Display Technology 1080p , 3D and 4K Technology Mounting Type Wall Mount Aspect Ratio 4:3 Display Fabric Material Matte white Length x Width of Projector Screen (Inch x inch)	Nos	3

72x96 Anti UV Coating Waterproof/Washable		
---	--	--

Terms and Conditions :-

- 1) Price should be quoted inclusive of all taxes and delivery charges
- 2) Delivery at Government Polytechnic College Nedumkandam
- 3) Payment only after satisfactory supply and installation of the item
- 4) Delivery within 15 days on receipt of supply order
- 5) Validity upto 31/03/2024.

Approval Valid

Digitally Approved By

Jayan P Vijayan

Date: 05.07.2023

Reason: Approved

The document is digitally approved. Hence signature is not needed.